


Higher Good Body Moisturizer

Batch ID:	P7HG002A	Test ID:	T000275762
Type:	Unit	Submitted:	03/28/2024 @ 09:23 AM
Test:	Potency	Started:	3/28/2024
Method:	TM14 (HPLC-DAD)	Reported:	4/1/2024

CANNABINOID PROFILE



Compound	LOQ (mg)	Result (mg)	Result (mg/g)
Delta 9-Tetrahydrocannabinolic acid (THCA-A)	219.03	ND	ND
Delta 9-Tetrahydrocannabinol (Delta 9THC)	247.22	ND	ND
Cannabidiolic acid (CBDA)	302.06	ND	ND
Cannabidiol (CBD)	294.50	720.36	4.2
Delta 8-Tetrahydrocannabinol (Delta 8THC)	272.21	ND	ND
Cannabinolic Acid (CBNA)	155.89	ND	ND
Cannabinol (CBN)	71.30	ND	ND
Cannabigerolic acid (CBGA)	228.49	ND	ND
Cannabigerol (CBG)	54.66	842.61	5.0
Tetrahydrocannabivarinic Acid (THCVA)	193.20	ND	ND
Tetrahydrocannabivarin (THCV)	49.72	ND	ND
Cannabidivarinic Acid (CBDVA)	126.00	ND	ND
Cannabidivarin (CBDV)	69.65	ND	ND
Cannabichromenic Acid (CBCA)	88.05	ND	ND
Cannabichromene (CBC)	96.27	ND	ND
Total Cannabinoids		1562.97	9.2
Total Potential THC**		ND	ND
Total Potential CBD**		720.36	4.2

NOTES:

of Servings = 1, Sample Weight=170.1g

% = % (w/w) = Percent (Weight of Analyte / Weight of Product)

* Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.

** Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step.

Total THC = THC + (THCa *(0.877)) and

Total CBD = CBD + (CBDa *(0.877))

ND = None Detected (Defined by Dynamic Range of the method)

FINAL APPROVAL

K Winterheimer

PREPARED BY / DATE

Phil

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to SC Laboratories, Inc. SC Laboratories, Inc warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. All decision rulings are in accordance with the MED and results uploaded to METRC. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited A2LA Certificate Number 4329.01



Certificate #4329.02

Higher Good Body Moisturizer

Batch ID or Lot Number: P7HG002A	Test: Microbial Contaminants	Reported: 01Apr2024	USDA License: NA
Matrix: Finished Product	Test ID: T000275763	Started: 28Mar2024	Sampler ID: NA
	Method(s): TM25 (PCR) TM24, TM26, TM27 (Culture Plating)	Received: 28Mar2024	Status: NA

Microbial Contaminants

	Method	LOD	100	Quantitation Range	Result	Notes
STEC	TM25: PCR	CFU/25g		NA NA	Absent	Free from visual mold, mildew, and foreign matter
<i>Salmonella</i>	TM25: PCR	100			Absent	
Total Yeast and Mold*	TM24: Culture Plating	CFU/25g 101 CFU/g		1.0x10 ² - 1.5x10 ⁴	None Detected	
Total Aerobic Count*	TM26: Culture Plating	102 CFU/g		1.0x10 ³ - 1.5x10 ⁵	None Detected	
Total Coliforms*	TM27: Culture Plating	101 CFU/g		1.0x10 ² - 1.5x10 ⁴	None Detected	

Final Approval



Brett Hudson
01Apr2024
04:07:00 PM MDT

PREPARED BY / DATE



Brianne Maillot
02Apr2024
06:35:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/f687be27-ac34-42f0-8b78-f73a383cb082>

Definitions

* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: 10² = 100 CFU, 10³ = 1,000 CFU, 10⁴ = 10,000 CFU, 10⁵ = 100,000 CFU
CFU/g = Colony Forming Units per Gram, LOD = Limit of Detection
ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation
STEC = Shiga Toxin-Producing E. coli

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
f687be27ac3442f08b78f73a383cb082.1